GARDEN STATE LUMBER PRODUCTS

# PLATINUM SERIES

PRIMED PINE S4S TRIM BOARDS



WWW.GARDENSTATELUMBER.COM



ur Platinum XL line is the newest edition to our family of interior/exterior S4S trim boards.

Made from a clear finger-joint Radiata substrate and vacuum coated with 2 passes of exterior bright white, acrylic latex water based primer, the Platinum XL line is ideal for both interior and exterior applications.

#### FINISHING:

- Clear Radiata pine fiber with no resin leaks or stains
- 2 Coats of AkzoNobel bright white, exterior, acrylic latex primer
- Double buffing for smooth finish and exceptional texture
- Superior handling system for a cleaner backface

#### PERFORMANCE & STABILITY:

- Exterior grade cross-linking PVA (polyvinyl acetate) adhesive
- Durability class D4 according to DIN EN 204 non-structural adhesive
- ❖ Edge glued on sizes 5-1/2" and wider for stability
- Micro finger-joint creates more surface contact, tighter joints and stronger boards
- Consistently square and crisp edges

#### AVAILABLE IN 16' LENGTHS ONLY IN THE FOLLOWING SIZES:

1x4 (3/4 x 3-1/2) (LTX14PF) 1X6 (3/4 X 5-1/2) (LTX16PF) 1X8 (3/4 X 7-1/4) (LTX18PF) 1X10 (3/4 X 9-1/4) (LTX110PF)

1X12 (3/4 X 11/1/4) (LTX112PF)

\*\* Platinum XL Is Available In Unit & Less Than Unit Quantities 5/4 X 4 (1-1/8 X 3-1/2) (LTX544PF)
5/4 X 6 (1-1/8 X 5-1/2) (LTX546PF)
5/4 X 8 (1-1/8 X 7-1/4) (LTX548PF)
5/4 X 10 (1-1/8 X 9-1/4) (LTX5410PF)
5/4 X 12 (1-1/8 X 11-1/4) (LTX5412PF)

#### **EDGE & CENTER BEADS:**

1X4 ECB (9/16 X 3-1/2) (ECB4PRF) 1X6 ECB (3/4 X 5-1/2) (ECB6PRF)

WARRANTY: 5 YEAR GARDEN STATE LUMBER SUBSTRATE WARRANTY (SEE WARRANTY SHEET FOR DETAILS)



he Platinum 5-0 line is our signature primed s4s trim board. Coated with a 6 mil (wet) coat of Olympics lo sheen oil based primer, our Platinum 5-0 line is the most superior oil primed S4S trim board available in the market. The Olympic lo-sheen primer has been specially formulated to accept both oil and latex topcoats and offers outstanding protection against moisture and the elements.

#### FINISHING:

- Clear Radiata pine fiber with no resin leaks or stains
- 1 coat 6 mil (wet) of Olympic lo-sheen oil primer (Andersen white)
- Engraved back side for easy product identification

#### PERFORMANCE & STABILITY:

- Exterior grade cross-linking PVA (polyvinyl acetate) adhesive
- Durability class D4 according to DIN EN 204 non-structural adhesive
- ❖ Edge glued on sizes 5-1/2" and wider for stability
- Micro finger-joint creates more surface contact, tighter joints and stronger boards
- Consistently square and crisp edges

## AVAILABLE IN 16' LENGTHS IN BOTH UNIT AND LESS THAN UNIT QUANTITIES

1x3 (3/4 x 2-1/2) (OIL13PF)

1x4 (3/4 x 3-1/2) (OIL14PF)

1x5 (3/4 x 4-1/2) (OIL15PF)

1X6 (3/4 X 5-1/2) (OIL16PF)

1X8 (3/4 X 7-1/4) (OIL18PF)

1X10 (3/4 X 9-1/4) (OIL110PF)

1X12 (3/4 X 11/1/4) (OIL112PF)

5/4 X 4 (1-1/8 X 3-1/2) (OIL544PF)

5/4 X 6 (1-1/8 X 5-1/2) (OIL546PF)

5/4 X 8 (1-1/8 X 7-1/4) (0IL548PF)

5/4 X 10 (1-1/8 X 9-1/4) (OIL5410PF)

5/4 X 12 (1-1/8 X 11-1/4) (OIL5412PF)

WARRANTY: OLYMPIC 5 YEAR FINISH WARRANTY (SEE WARRANTY SHEET FOR DETAILS)
5 YEAR GARDEN STATE LUMBER SUBSTRATE WARRANTY (SEE WARRANTY SHEET FOR DETAILS)



ur Platinum Plus+ line is a fusion of the highest quality radiata substrate, the superior protection of an oil alkyd primer, and the outstanding appearance of a bright white acrylic latex topcoat. We've taken all the best characteristics of our other lines and teamed up with Randolph Products to offer the only third party "green seal approved" coating system on the market today. Perfect for all interior and exterior applications, our platinum plus+ is at the pinnacle of radiata s4s trim boards.

#### FINISHING:

- Clear Radiata pine fiber with no resin leaks or stains
- 1st coat of Randolph products high flow rate oil alkyd primer (applied at 4-5 mil wet)
- 2nd coat of Randolph 770 series bright white acrylic latex primer
- "green seal approved" allowing builders/contractors to qualify for LEEDS credits
- ❖ Laser labeled on back for easy product identification

#### PERFORMANCE & STABILITY:

- Exterior grade cross-linking PVA (polyvinyl acetate)
   adhesive
- Durability class D4 according to DIN EN 204 nonstructural adhesive
- Edge glued on sizes 5-1/2" and wider for stability
- Micro finger-joint creates more surface contact, tighter joints and stronger boards
- Consistently square and crisp edges

## AVAILABLE IN BOTH 12' AND 16' LENGTHS IN "HALF PAK" QUANTITIES ( 600 BF UNITS)

1x2 (3/4 x 1-1/2) (Plat+12PF)

1x3 (3/4 x 2-1/2) (Plat+13PF)

1x4 (3/4 x 3-1/2) (Plat+14PF)

1X6 (3/4 X 5-1/2) (Plat+16PF)

1X8 (3/4 X 7-1/4) (Plat+18PF)

1X10 (3/4 X 9-1/4) (Plat+110PF)

1X12 (3/4 X 11/1/4) (Plat+112PF)

5/4 X 3 (1-1/8 X 2-1/2) (Plat+543PF)

5/4 X 4 (1-1/8 X 3-1/2) (Plat+544PF)

5/4 X 6 (1-1/8 X 5-1/2) (Plat+546PF)

5/4 X 8 (1-1/8 X 7-1/4) (Plat+548PF)

5/4 X 10 (1-1/8 X 9-1/4) (Plat+5410PF)

5/4 X 12 (1-1/8 X 11-1/4) (Plat+5412PF)

WARRANTY: RANDOLPH PRODUCTS PRE-PRIMED LIMITED WARRANTY (SEE WARRANTY SHEET FOR DETAILS)
5 YEAR GARDEN STATE LUMBER SUBSTRATE WARRANTY (SEE WARRANTY SHEET FOR DETAILS)





ur platinum 5-EWP line is meticulously manufactured for the harsh weather conditions of the northeastern united states and coastal cities. Platinum 5-EWP combines the fortitude of the highest quality Eastern White Pine substrate, the durability of National Casein's type 1 exterior waterproof glue, and Randolph products "Green seal approved" coating system. Featuring an oil-alkyd primer for premium moisture resistance, with a unique bright white acrylic latex topcoat that can be optionally finished with both latex an oil based paints. The result is an exterior S4S trim board with a performance that is unmatched by any other pine board on the market.

#### FINISHING:

- ❖ 100% clear Eastern White Pine
- 1st coat of Randolph products high flow rate oil alkyd primer (applied at 4-5 mil wet)
- 2nd coat of Randolph 770 series bright white acrylic latex primer
- "green seal approved" allowing builders/contractors to qualify for LEEDS credits
- Laser labeled on back for easy product identification

#### PERFORMANCE & STABILITY:

- National casein's type 1 exterior glue
- Edge glued on sizes 7-1/4" and wider for stability
- Consistently square and crisp edges

### AVAILABLE IN BOTH 12' AND 16' LENGTHS IN "HALF PAK" QUANTITIES (600 BF UNITS)

 $1x2 (3/4 \times 1-1/2) (EWP+12PF)$ 

1x3 (3/4 x 2-1/2) (EWP+13PF)

1x4 (3/4 x 3-1/2) (EWP+14PF)

1X5 (3/4 X 4-1/2) (EWP+15PF)

1X6 (3/4 X 5-1/2) (EWP+16PF)

1X8 (3/4 X 7-1/4) (EWP+18PF)

1X10 (3/4 X 9-1/4) (EWP+110PF)

1X12 (3/4 X 11/1/4) (EWP+112PF)

5/4 X 4 (1-1/8 X 3-1/2) (EWP+544PF)

5/4 X 5 (1-1/8 X 4-1/2) (EWP+545PF)

5/4 X 6 (1-1/8 X 5-1/2) (EWP+546PF)

5/4 X 8 (1-1/8 X 7-1/4) (EWP+548PF)

5/4 X 10 (1-1/8 X 9-1/4) (EWP+5410PF)

5/4 X 12 (1-1/8 X 11-1/4) (EWP+5412PF)

WARRANTY: RANDOLPH PRODUCTS PRE-PRIMED 10 YEAR LIMITED WARRANTY (SEE WARRANTY SHEET FOR DETAILS)

GARDEN STATE LUMBER 20 YEAR LIMITED SUBSTRATE WARRANTY (SEE WARRANTY SHEET FOR DETAILS)



GARDEN STATE LUMBER



We now have an in stock line of bardwood S4S boards including:

POPLAR (PRECISION POPLAR)

RED OAK

CHERRY

MAPLE (WHITE HARD MAPLE)

SAPELE (MAHOGANY)

All 848 is precision end trimmed.
\*\*Other species are available on a special order basis\*\*

All species are available in 1x4 thru 1x12 & 5/4x4 thru 5/4x12 (the poplar is available in 1x5 as well)

All Garden State Lumber mouldings are available in any bardwood or softwood species on a special order basis (lead times are 2 weeks or within - please call for pricing)

## ALL GARDEN STATE LUMBER S4S PRODUCTS

This course			CONTRACTOR OF THE		AND DESCRIPTIONS		
SKU	NOMINAL	ACTUAL SIZE	ULTRALITE MDF	RAW FINGERJOINT	PRIMED PINE	PVC	PINE
D1	1/2X2	1/2 X 1-5/8		<b>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</b>			<u> </u>
D2	1/2X3	1/2 X 2-1/2		<b>\S</b>			0
D3	1/2X4	1/2 X 3-1/2					<u> </u>
D4	1/2X6	1/2 X 5-1/2					0
D12	1X2	3/4 X 1-5/8		*	0		<u> </u>
D13	1X3	3/4 X 2-1/2		*	0		<u> </u>
D14	1X4	3/4 X 3-1/2	$\Rightarrow$		0		<u> </u>
D15	1X5	3/4 X 4-1/2			0		
D16	1X6	3/4 X 5-1/2	$\Rightarrow$		0		<u> </u>
D18	1X8	3/4 X 7-1/4	$\Rightarrow$		0		<u> </u>
D110	1X10	3/4 X 9-1/4	$\Rightarrow$		0		<u> </u>
D112	1X12	3/4 X 11-1/4	☆		0		0
D542	5/4X2	1-1/8 X 1-5/8					<u> </u>
D543	5/4X3	1-1/8X2-1/2			0		0
D544	5/4X4	1-1/8 X 3-1/2			0		0
D546	5/4X6	1-1/8 X 5-1/2			0		
D548	5/4X8	1-1/8 X 7-1/4			0		
D5410	5/4X10	1-1/8 X 9-1/4			0		
D5412	5/4X12	1-1/8 X 11-1/4	☆ 1" Full X 12" Full		0		

SKU	NOMINAL	ACTUAL SIZE	POPLAR	RED OAK	WHITE HARD MAPLE	SAPELE (MAHOGONY)	CHERRY
D12	1X2	3/4 X 1-5/8		<b>♦</b>			
D13	1X3	3/4 X 2-1/2		$\Diamond$			
D14	1X4	3/4 X 3-1/2	$\Diamond$	$\Diamond$	$\Diamond$	<b>♦</b>	$\Diamond$
D15	1X5	3/4 X 4-1/2	<b>♦</b>				
D16	1X6	3/4 X 5-1/2	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$
D18	1X8	3/4 X 7-1/4	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$	<b>♦</b>
D110	1X10	3/4 X 9-1/4	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$
D112	1X12	3/4 X 11-1/4	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$
D544	5/4X4	1-1/8 X 3-1/2	$\Diamond$		$\Diamond$	$\Diamond$	$\Diamond$
D546	5/4X6	1-1/8 X 5-1/2	<b>♦</b>	$\Diamond$	$\Diamond$	<b>♦</b>	$\Diamond$
D548	5/4X8	1-1/8 X 7-1/4	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$
D5410	5/4X10	1-1/8 X 9-1/4	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$	$\Diamond$
D5412	5/4X12	1-1/8 X 11-1/4	$\Diamond$	$\Diamond$	$\Diamond$	<b>♦</b>	$\Diamond$

#### SPECS AND LENGTH STRUCTURE

ULTRALITE MDF primed 4 sides, 16' lengths

PRIMED PINE primed 4 sides, 12' and 16' lengths

**PVC** finished all 4 sides (sealed edges), 16' lengths

PINE clear 4 face, random length 8' thru 16'

POPLAR clear 4 face, even lengths 8' thru 16'

**RED OAK** clear 1 face and 2 edges,

3/4" boards available in 8', 10', 12' and 16' lengths, 1-1/8" boards available random length 8' thru 16'

WHITE HARD MAPLE clear 1 face and 2 edges, random length, heavy 8' thru 12'

SAPELE (MAHOGONY) clear 1 face and 2 edges, random length 8' thru 16'

CHERRY clear 1 face and 2 edges, random length, heavy 8' thru 12'

